

ITEM 615.08—25 - BENCH

1. DESCRIPTION:

- 1.01 The work shall consist of furnishing and installing bench(es) where indicated in the Contract Documents or as ordered by the Engineer.

2. MATERIALS:

- 2.01 **Bench(es):** Steel frame bench and back shall be as manufactured and supplied by:

Maglin Furniture Systems, Ltd.
27 Bysham Park Drive
Woodstock, Ontario, Canada N4A 1P1
[REDACTED]

Model: MLB590
Color: Black Standard

Or approved equal by the N.Y.S. Thruway Authority Landscape Architect.

- 2.02 All mounting anchor bolts, nuts and washers shall be galvanized in accordance with the requirements of Subsection 719-01.
- 2.03 The concrete for the foundation base shall conform to the requirements of Class A Concrete specified in Section 501, Portland Cement Concrete, General.
- 2.04 Anchor studs, nuts and washers - ASTM-A307.
- 2.05 Drilling and grouting anchor studs shall conform to the requirements of Subsection 701-07.
- 2.06 **Submittals.** Shop drawings are not required.

3. CONSTRUCTION DETAILS:

- 3.01 Bench(es) shall be installed with anchoring and footings as specified by manufacturer or as indicated on the Contract Documents.

4. METHOD OF MEASUREMENT:

- 4.01 Bench(es) shall be measured by each unit as specified on the Contract Documents acceptably placed and approved by the Engineer.

5. BASIS OF PAYMENT:

- 5.01 The unit price bid per bench shall include the cost of all labor, materials and equipment necessary to complete the work.