

ITEM 647.99----25 - REMOVING, STORING AND REINSTALLING SIGNS

1. DESCRIPTION:

- 1.01 This work shall include the removal, storage, and reinstallation of the existing signs designated on the plans. The sign components shall include sign panels, upright supports, bracing, structures, lights, electrical conduit, and electrical hardware. The sign, structure and electrical conduit, and any other components or fasteners as required, shall be reinstalled with new bolts, nuts and washers, etc.

2. MATERIALS:

- 2.01 **General.** All new materials used in this work shall meet the requirements of Subsection 645-2 of the New York State Standard Specifications.
- 2.02 **Paint.** All paint shall be as specified in the appropriate painting item.

3. CONSTRUCTION DETAILS:

- 3.01 **General.** All structural steel work including but not limited to drilling of bolt holes, fabrication, inspection, testing, transportation, and erection shall be done in accordance with the New York State Steel Construction Manual.

All of the applicable requirements of Subsection 645-3, of the New York State Standard Specifications, shall also apply to this work.

- 3.02 **Damage to Existing Materials.** The Contractor shall perform all work with care to avoid damage to any existing materials which are to remain. All damage to existing materials, as determined by the Engineer, shall be repaired or replaced by the Contractor, at no cost to the Authority, by a procedure approved by the Engineer. All repairs shall be done in a workmanlike manner satisfactory to the Engineer.
- 3.03 **Shop Drawings.** Shop drawings are not required for this work.
- 3.04 **Removal and Storage of Signs.** Existing signs shall be removed and stockpiled above ground in a neat and workmanlike manner. All electrical components shall be neatly stored and protected from the weather. All work shall be performed by the Contractor, to the satisfaction of the Engineer, at the site or sites within the R.O.W. limits as designated by the Engineer.
- 3.05 **Electrical Connections.** The existing electrical power supply shall be disconnected and protected in a manner satisfactory to the Engineer.
- 3.06 **Reinstallation of Signs.** The signs shall be reinstalled at the locations shown on the Plans, and reconnected to the power supply, to full working condition as determined by the Engineer.
- 3.07 **Painting.** All painting shall be performed in accordance with the appropriate painting item

4. METHOD OF MEASUREMENT:

- 4.01 Measurement shall be taken as the number of signs which have been removed, stored, and reinstalled to full working conditions.

ITEM 647.99----25 - REMOVING, STORING AND REINSTALLING SIGNS

5. BASIS OF PAYMENT:

- 5.01 The price bid shall include the cost of furnishing all labor, materials and equipment necessary to complete the work. No payment will be made for repair of, or replacement of, damaged material which was made necessary due to the Contractor's operations.

All cleaning and painting of the structural steel shall be paid for separately.

- 5.02 **Progress Payments.** Progress payments will be made in accordance with the following schedule:

- A. Thirty percent of the unit price bid shall be paid after each sign has been removed and stored as specified.
- B. The remainder of the unit price bid shall be paid after each sign has been reinstalled to full working condition as specified.