

ABBREVIATIONS LIST					
AB	ANCHOR BOLT	FGL	FIBERGLASS	PLF	POUNDS PER LINEAR FOOT
AC	AIR CONDITIONER	FIN	FINISH (ED)	PSF	POUNDS PER SQUARE FOOT
ACT	ACOUSTICAL TILE	FLG	FLASHING	PSI	POUNDS PER SQUARE INCH
AFF	ABOVE FINISH FLOOR	FLR	FLOOR (ING)	PVC	POLYVINYLCHLORIDE
ALUM	ALUMINUM	FOC	FACE OF CONCRETE	PVMT	PAVEMENT
AHU	AIR HANDLING UNIT	FOF	FACE OF FINISH	PWD	PLYWOOD
AOBE	AS ORDERED BY ENGINEER	FOM	FACE OF MASONRY	RAD	RADIUS
APPROX	APPROXIMATE	FOS	FACE OF STUD	RD	ROOF DRAIN
BLDG	BUILDING	FOUND	FOUNDATION	REIN	REINFORCING
BLKG	BLOCKING	FTG	FOOTING	RFG	ROOFING
BOS	BOTTOM OF STEEL	FUR	FURRED, FURRING	RM	ROOM
BOT	BOTTOM	GA	GAGE, GAUGE	ROB	RUN OF BANK
BSMT	BASEMENT	GALV	GALVANIZED	RO	ROUGH OPENING
BUR	BUILT UP ROOFING	GB	GRAB BAR	ROW	RIGHT OF WAY
CD	CONDENSING UNIT	GFCI	GROUND FAULT CIRCUIT INTERRUPTER	RTU	ROOF TOP UNIT
CF	CUBIC FOOT	GL	GLASS	SAN	SANITARY
CFL	COUNTER FLASHING	GWB	GYPSTUM WALL BOARD	SC	SCUPPER
CI	CAST IRON	HB	HOSE BIB	SD	SATELLITE DISH
CJ	CONTROL JOINT	H/C	HANDICAPPED	SECT	SECTION
CL	CENTER LINE	HGT	HEIGHT	SIM	SIMILAR
CLG	CEILING	HM	HOLLOW METAL	SPEC	SPECIFICATION (S)
CLK	CAULK	HORIZ	HORIZONTAL	SQ	SQUARE
CLL	CONTRACT LIMIT LINE	HVAC	HEATING VENTILATING AIR CONDITIONING	SS	STAINLESS STEEL
CLR	CLEAR	HWH	HEX WASHER HEAD	STD	STANDARD
CMU	CONCRETE MASONRY UNIT	ID	INSIDE DIAMETER	STL	STEEL
CO	CLEAN OUT	INCL	INCLUDE (D) (ING)	SUSP	SUSPENDED
COL	COLUMN	INFO	INFORMATION	TD	TOWEL DISPENSER
COMP	COMPACTED	INSUL	INSULATION	TERM	TERMINATION
CONC	CONCRETE	INV	INVERT	T&G	TONGUE AND GROOVE
CONT	CONTINUOUS	IPS	IRON PIPE SIZE	TOF	TOP OF FOOTING
CS	COURSE	JB	JUNCTION BOX	TOS	TOP OF STEEL
CRS	COUNTERSUNK	JT	JOINT	TOW	TOP OF WALL
CSJ	CONSTRUCTION JOINT	LAV	LAVATORY	TYP	TYPICAL
CY	CUBIC YARD	MAT'L	MATERIAL	UR	URINAL
DET	DETAIL	MFR	MANUFACTURE (ER)	VCT	VINYL COMPOSITION TILE
DF	DRINKING FOUNTAIN	MH	MANHOLE	VPB	VAPOR BARRIER
DI	DROP INLET	MIN	MINIMUM	VERT	VERTICAL
DIA	DIAMETER	MISC	MISCELLANEOUS	VT	VENT
DIAG	DIAGONAL	MO	MASONRY OPENING	W/	WITH
DIP	DUCTILE IRON PIPE	MP	MILEPOST	WC	WATER CLOSET
DPCO	DECK PLATE CLEAN OUT	MUA	MAKE UP AIR	WD	WOOD
DR	DOOR	N/A	NOT APPLICABLE	W/O	WITHOUT
DWG	DRAWING	NIC	NOT IN CONTRACT	WSTRP	WEATHERSTRIPPING
EB	EXPANSION BOLT	NTS	NOT TO SCALE	WWF	WELDED WIRE FABRIC
EF	EACH FACE	OC	ON CENTER		
ELEC	ELECTRIC (AL)	OD	OUTSIDE DIAMETER		
EL	ELEVATION	OH	OVERHANG		
ENTR	ENTRANCE	OHD	OVERHEAD DOOR		
EQ	EQUAL	OPNG	OPENING		
EX	EXHAUST	OPP	OPPOSITE HAND		
EXF	EXHAUST FAN	OSB	ORIENTED STRAND BOARD		
EXIST	EXISTING	PART	PARTITION		
EXJ	EXPANSION JOINT	PCF	POUNDS PER CUBIC FEET		
FAI	FRESH AIR INLET	PERF	PERFORATED		
FD	FLOOR DRAIN	PH	PAPER HOLDER		
FFE	FINISHED FLOOR ELEVATION	PL	PLATE		
FF	FINISHED FLOOR				

BUILDING CODE DESIGN LOADS SUMMARY	
CONVENTIONAL LIGHT FRAME CONSTRUCTION PER SECTION 2308	
<b>FLOOR LIVE LOAD</b>	
1607.1 - LIST ALL AREAS	50 PSF
<b>FLOOR DEAD LOAD</b>	
	75 PSF
<b>ROOF LIVE LOAD</b>	
1607.1 AND 1607.11.2.1	0 PSF
<b>ROOF DEAD LOAD</b>	
	10 PSF
<b>GROUND SNOW LOAD, P<sub>g</sub></b>	
	55 PSF
FIGURE 1608.2	
<b>BASIC WIND SPEED ( 3 sec. gust )</b>	
SPEED, FIGURE 1609	0 MPH
EXPOSURE CATEGORY, 1609.4 -	
<b>SEISMIC DATA</b>	
USE GROUP, 1616.2 -	
SITE CLASS, TABLE 1615.1.1 -	
DESIGN CATEGORY, 1616.3, TABLES 1 & 2	
CATEGORY -	

THERMAL PERFORMANCE CRITERIA	
ENERGY CONSERVATION CODE OF NYS CHAPTER 8 - BUILDING ENVELOPE BY COMPONENT	
ULSTER COUNTY - 6750 HDD - ZONE 15	
TABLE 802.2 (6) COMPONENT "U <sub>o</sub> " OR "R" VALUES	
WINDOW & GLAZED DOOR AREA = <10 PERCENT	
SLAB OR BELOW GRADE WALL: R-0	
GLAZING: PF<0.25, SHGC = Any, U <sub>o</sub> = 0.7	
ROOF/CEILING: R-25 Required, R-25 Provided	
FLOORS OVER UNHEATED SPACE: N/A	
ABOVE GRADE WALLS: N/A	

BUILDING CODE SUMMARY			
All work shall comply with 19 NYCRR (the New York State Uniform Fire Prevention and Building Code) and its Reference Standards.			
<b>USE &amp; OCCUPANCY CLASSIFICATION</b>			
SECTION 302 - GROUP			
TABLE 302.3.3, MIXED OCCUPANCY			
AREA	GROUP	SEPARATION	
SHOP 960 SF	F1	NOT REQUIRED	
OFFICE 1440 SF	B	NOT REQUIRED	
TABLE 302.1.1, INCIDENTAL AREAS			
AREA	SEPARATION		
STORAGE 126 SF	1 HOUR - UL, U337		
WALLS	UL DESIGN #U337		
CEILING	UL DESIGN #P544		
<b>CONSTRUCTION TYPE</b>			
SECTION 602 - TYPE VB			
<b>FIRE RATING FOR BUILDING ELEMENTS</b>			
STRUCTURAL FRAME	0		
BEARING WALLS	0		
FLOOR CONSTRUCTION	0		
ROOF CONSTRUCTION	0		
<b>NONBEARING WALLS AND PARTITIONS</b>			
EXTERIOR	INTERIOR		
0	0		
0	0		
<b>HEIGHT AND AREA LIMITS</b> TABLE 503			
NO. STORIES	F1 - ONE STORY		
FLOOR AREA	F1 - 8500 SF		
<b>HEIGHT AND AREA MODIFICATIONS</b>			
SECTIONS 504 AND 506 RESPECTIVELY			
N/A			

**NOTE**  
**SCALE REDUCTION**  
THESE REDUCED PLANS MAY NOT  
BE EXACTLY TO SCALE. ALL  
INDICATED SCALES ARE REDUCED  
TO APPROXIMATELY HALF SIZE.

DATE	DESCRIPTION	BY	SYM.
REVISIONS			
NEW YORK STATE THRUWAY AUTHORITY DEPARTMENT OF ENGINEERING 200 SOUTHERN BLVD., ALBANY, N.Y. 12209			
TITLE OF PROJECT			
?			
LOCATION OF PROJECT			
?			
TITLE OF DRAWING			
CODE COMPLIANCE TABLES & STANDARD INFORMATION			
CONTRACT NUMBER:			?
DATE:			11/02/07
DRAWING NUMBER:			CC-1



REVISIONS APPROVED FOR REVIEW