




XXX
XXX

NOTES:

1. THE EXPANSION JOINT SHALL BE COVERED DURING THE PLACING OF THE BRIDGE DECK CONCRETE.
2. ALL STEEL COMPONENTS SHALL BE [REDACTED] UNLESS OTHERWISE NOTED. PAYMENT FOR THE JOINT ASSEMBLY COMPLETE IN PLACE SHALL BE UNDER ITEM 567.96090125-VERMONT JOINT. MEASUREMENT OF THE EXPANSION JOINT SHALL BE IN FEET ALONG THE LENGTH OF THE JOINT, BETWEEN IT'S HORIZONTAL LIMITS AND CONVERTED TO METERS FOR PAYMENT.
3. WELDED STUDS, AND ALL OTHER MISCELLANEOUS ITEMS REQUIRED TO CONSTRUCT THE EXPANSION JOINT, SHALL BE INCLUDED IN THE COST FOR THE JOINT ITEM.
4. THE ANGLES [REDACTED] SHALL BE FURNISHED IN CONTINUOUS LENGTHS (NO FIELD SPLICES EXCEPT AS INDICATED ON THE CONTRACT DRAWINGS). THE [REDACTED] ANGLES SHALL BE FURNISHED IN TWO PIECES WITH A JOINT AT THE CONSTRUCTION JOINT CENTERLINE. THE FABRIC TROUGH SHALL BE CONTINUOUS PREFORMED FABRIC MATERIAL CONFORMING TO THE JOINT ITEM SPECIFICATIONS.
5. ALL STEEL JOINT COMPONENTS SHALL BE GALVANIZED OR METALIZED AS SPECIFIED IN THE ITEM SPECIFICATION.
6. WELDED STUDS SHALL CONFORM TO STD SPEC. 709-04 AND BE WELDED IN THE SHOP.
7. EPOXY BONDING COMPOUND SHALL BE APPLIED TO ALL JOINT SURFACES THAT WILL COME IN CONTACT WITH NEW CONCRETE. THE COST FOR THE EPOXY BONDING COMPOUND SHALL BE INCLUDED IN THE PRICE BID FOR THE DECK CONCRETE.

CHECKED BY: TA
DRAFTED BY: TA
DESIGNED BY: TA
IN CHARGE OF: TA



SECTION AT ABUTMENT

* - SEE TABLE AT UPPER RIGHT FOR DIMENSIONS

TEMP.	DIM. "A"	DIM. "B"
0° F.	*	*
15°	*	*
30°	*	*
45°	*	*
60°	*	*
75°	*	*
90°	*	*
105°	*	*

PE STAMP & SIGNATURE ARE REQUIRED ON THIS SHEET.

DATE	DESCRIPTION	BY	SYM.

REVISIONS

NEW YORK STATE THRUWAY AUTHORITY
DEPARTMENT OF ENGINEERING
200 SOUTHERN BLVD., ALBANY, N.Y. 12209

TITLE OF PROJECT
TITLE OF PROJECT LINE 1
TITLE OF PROJECT LINE 2

LOCATION OF PROJECT
LOCATION OF PROJECT LINE 1
LOCATION OF PROJECT LINE 2

TITLE OF DRAWING
**VERMONT JOINT
OPEN-TYPE AT ABUTMENT
DETAILS**

CONTRACT NUMBER:
TA

DATE:
3/10

DRAWING NUMBER:
*

