

## Monthly Pile Driving Summary and Underwater Noise Monitoring Results

**Pile Driving Period: July 13, 2014 – August 9, 2014**

DOC Reference: TA\_FHWA\_03054\_RPT\_ENV



### Summary:

No sturgeon were observed to have been severely injured or killed as a result of underwater noise from pile driving during this reporting period. This conclusion was reached based on the results of sturgeon monitoring by observers on the barge and vessel-based sturgeon monitoring conducted downstream of the piles being driven.

Based on an analysis using both empirical and modeled data, recoverable injuries caused by exposure to sub-lethal levels of underwater noise could not have been sustained by more than one sturgeon during this reporting period. This conclusion was reached by considering:

- the time required to drive each pile;
- the underwater area that experienced noise levels higher than a level that could potentially result in recoverable injury to the sturgeon (206 dB re 1  $\mu$ Pa peak sound pressure level); and
- the possible number of sturgeon that could have been in that area (number of gill nets x sturgeon encounter rate).

The potential number of sturgeon likely to have experienced recoverable injuries (described as “sturgeon take”) is reported as the probability of a fish being affected by exposure to underwater noise from pile driving, as shown in the table below. If the sturgeon take is listed as 1, then 1 sturgeon was potentially exposed to recoverable noise levels. If sturgeon take is less than 1, then it is less likely that 1 sturgeon was affected. As shown at the bottom right of the table below, the sturgeon take for this reporting period was 0.75 sturgeon (that is, less than 1 sturgeon), which is less than the 1.40 sturgeon that was anticipated based on the NMFS Biological Opinion (NMFS BO).

### Introduction:

As required under the NMFS BO, dated April 2014, Reasonable & Prudent Measures #4 and #5 and Term & Condition #9, underwater noise resulting from pile installation must be monitored. The following is a summary of the installation and underwater noise monitoring of permanent and trestle piles for the time period beginning June 15, 2014 through July 12, 2014.

As required under this condition, an estimate of sturgeon take for piles driven during the most recent monthly monitoring period is included. The sturgeon take estimate has been calculated using the times required to drive each pile (impact hammer only) and an estimate of the diameter of the 206 dB peak SPL isopleth, which has been measured for a representative number of the piles installed during this time period. For piles that were not monitored for underwater noise, the size of the isopleth was conservatively assumed to be equivalent to the largest isopleth measured for piles driven at the same pier (or other representative piles at nearby piers). The take estimate has been compared to that listed for the same piles in Table 10 of the NMFS BO to ensure that sturgeon take is not being exceeded. Sturgeon take summarized

in Table 10 applies to both shortnose and Atlantic sturgeon (i.e., it is anticipated that 37 of each species will be exposed to underwater noise equal to 206 dB re 1 $\mu$  Pa SPL<sub>peak</sub> during pile driving.

#### **Pile Installation and Underwater Noise Monitoring:**

During the monthly period from July 13 through August 9, 2014, [REDACTED] piles were driven (122 production piles and [REDACTED] finger piles at the Rockland trestle). Of these, [REDACTED] piles were driven at [REDACTED] at the Main Span, [REDACTED] piles were driven at [REDACTED] eastbound (EB) and westbound (WB), [REDACTED] on the Rockland approach, and [REDACTED] piles driven at [REDACTED]. In addition, [REDACTED] trestle piles were driven with an impact hammer to support the Rockland work platform. These piles correspond to those driven during weeks 29 through 32 in Table 10<sup>1</sup> of the NMFS BO.

#### *Anticipated Sturgeon Take from Table 10 of the NMFS BO*

For the purposes of tracking take associated with the subset of piles from the groups of piles shown in Table 10 (i.e., Anticipated Sturgeon Take), total take for each time period was divided by the number of piles scheduled to be driven during the time period. To calculate anticipated sturgeon take per pile from Table 10, the anticipated take of 1 sturgeon for piles in the group containing [REDACTED] was divided by the [REDACTED] piles for this group, 1 sturgeon for piles in the group containing [REDACTED] was divided by the [REDACTED] piles for this group, 1 sturgeon for piles in the group containing [REDACTED] was divided by the [REDACTED] piles for this group and 3 sturgeon at [REDACTED], and the Rockland trestle were divided by the [REDACTED] piles for that group, which resulted in an estimate of 0.01 sturgeon per pile in the case of both groups.

Based on these values:

- the anticipated take from Table 10 for the [REDACTED] piles driven from July 13 through August 9 was 1.40 sturgeon, which was calculated as the sum of:
  - 0.03 sturgeon per pile multiplied by 4 piles,
  - 0.01 sturgeon per pile multiplied by 11 piles,
  - 0.01 sturgeon per pile multiplied by 31 piles,
  - 0.01 sturgeon per pile multiplied by 86 piles,
- the cumulative take<sup>2</sup> associated with the [REDACTED] piles driven to date (which includes trestle piles, test piles, and production piles as anticipated in Table 10 of the NMFS BO) is the sum of the anticipated take values for all [REDACTED] piles, or 18.17 sturgeon.

---

<sup>1</sup> Anticipated take was calculated in Table 10 of the NMFS BO as the product of the number of piles, number of hours to drive a pile, number of gill nets to span the 206 dB peak SPL isopleth, and the sturgeon encounter rate of 0.033 sturgeon per net per hour.

<sup>2</sup> In previous Monthly Reports, trestle piles and test piles driven prior to January 17, 2014 were not included in the cumulative take estimate. Therefore, this estimate has been updated to include these piles so as to be consistent with Table 10 in the NMFS BO and now reflects the 10 sturgeon that were exempted in the BO dated April 2, 2014.

### *Calculated Sturgeon Take for this reporting period*

Following the same method used to estimate incidental sturgeon take for Table 10, the product of pile driving time, number of gill nets to span the width of the 206 dB isopleth, and sturgeon encounter rate of 0.033 sturgeon per net per hour was used to calculate sturgeon take for the piles driven during this reporting period (i.e., Calculated Sturgeon Take). For previous piles that have been monitored for underwater noise, the diameter of the 206 dB peak SPL isopleth was measured based on the maximum peak SPL recorded during pile driving. For the unmonitored piles, the maximum recorded isopleth diameter was assigned based on noise monitoring from the test pile program or from noise monitoring of piles at each pier. Actual pile driving times for each of the piles were used in the calculations.

During this reporting period, none of the [REDACTED] piles exceeded the maximum allowable pile driving time of 1.0 hour per pile; impact pile-driving times for [REDACTED] piles were routinely shorter than anticipated (i.e., approximately 0.25 hours, on average, and no longer than 0.42 hours). Underwater noise monitoring was conducted for four of these piles and the diameter of the isopleth for the 206-dB SPL<sub>peak</sub> was estimated from these measurements and used to calculate sturgeon take for these piles.

For the [REDACTED] piles driven at [REDACTED] along the Rockland approach, pile-driving times ranged from 0.25 to 0.73 hours to install. Forty-five of the [REDACTED] piles exceeded the anticipated time of 0.5 hours, but on average [REDACTED] piles driven this reporting period required 0.51 hours of impact pile driving. Average drive times for piles at [REDACTED] were as anticipated in the NMFS BO (i.e., 0.5 hours), while piles at [REDACTED] were slightly greater (i.e., 0.6 hours) and piles at [REDACTED] were slightly less than anticipated (i.e., 0.4 hours). Although these drive times are greater than anticipated, the Calculated Sturgeon Take for this reporting period is still well below the Anticipated Sturgeon Take reported in Table 10 of the NMFS BO. Nine of the 4-foot piles were monitored by TZC/JASCO for underwater noise during this reporting period.

Drive times for [REDACTED] piles installed at [REDACTED] along the Westchester approach ranged from 0.10 to 0.47 hours and averaged 0.24 hours each to install, which is less than the anticipated time of 0.33 hours. Five of the [REDACTED] piles required between 0.37 and 0.47 hours to install and exceeded the anticipated drive time for [REDACTED] piles. None of the [REDACTED] piles were monitored by TZC/JASCO for underwater noise during this reporting period.

Drive times for [REDACTED] piles installed at the Rockland trestle ranged from 0.03 to 0.33 hours and averaged 0.11 hours per pile and only exceeded the anticipated 0.17 hours per pile for 1 of the 10 piles, which required 0.33 hours to drive. None of the trestle piles were monitored by TZC/JASCO for underwater noise.

Based on the recorded pile-driving times and isopleth widths:

- the incidental sturgeon take for the [REDACTED] piles driven during the monthly period from July 13 through August 8 was calculated as 0.75 sturgeon, which is less than the estimate of 1.40 sturgeon for the same [REDACTED] piles listed in Table 10,
- the cumulative incidental take for the [REDACTED] piles driven to date (which includes trestle piles, test piles, and production piles as anticipated in Table 10 of the NMFS

BO) was calculated as 5.08 sturgeon, which is less than the anticipated take of 18.17 sturgeon for the same 1,008 piles in Table 10.

Despite the longer than anticipated pile-driving times for some of the [REDACTED] piles at piers along the Rockland approach (i.e., [REDACTED]), the pile-driving times for the other piles installed during this period were considerably less than anticipated. This resulted in a total observed sturgeon take for all piles that was less than the anticipated take for piles driven during the current reporting period. Therefore, incidental take for sturgeon was not exceeded during the most recent monthly reporting period for pile driving, nor has the cumulative sturgeon take been exceeded for all piles driven to date.

Report Period: 07/13/2014 to 08/09/2014

Date	Year	Week	Net Impact Pile Driving Duration (hrs/pile)	Pile driving time from Table 10 of the NMFS BO (hrs/pile)	Average width of isopleth for 206-dB peak SPL (feet)	Maximum width of isopleth for 206-dB peak SPL (feet)	Number of gill nets to span the 206-dB peak SPL isopleth	Sturgeon encounter rate (fish/net/hour)	Sturgeon take
7/14/2014	2014	29	0.53	0.5	Not measured	45	0.4	0.033	0.006
7/14/2014	2014	29	0.52	0.5	Not measured	45	0.4	0.033	0.006
7/15/2014	2014	29	0.6	0.5	Not measured	45	0.4	0.033	0.007
7/15/2014	2014	29	0.53	0.5	Not measured	45	0.4	0.033	0.006
7/15/2014	2014	29	0.52	0.5	Not measured	45	0.4	0.033	0.006
7/15/2014	2014	29	0.47	0.5	Not measured	45	0.4	0.033	0.006
7/16/2014	2014	29	0.18	1	Not measured	60	0.5	0.033	0.003
7/17/2014	2014	29	0.37	0.33	Not measured	77	0.6	0.033	0.008
7/17/2014	2014	29	0.37	0.33	Not measured	77	0.6	0.033	0.008
7/18/2014	2014	29	0.53	0.5	Not measured	45	0.4	0.033	0.006
7/18/2014	2014	29	0.55	0.5	Not measured	45	0.4	0.033	0.007
7/18/2014	2014	29	0.48	0.5	Not measured	45	0.4	0.033	0.006
7/18/2014	2014	29	0.5	0.5	Not measured	45	0.4	0.033	0.006
7/18/2014	2014	29	0.33	0.5	Not measured	48	0.4	0.033	0.004
7/18/2014	2014	29	0.38	0.5	Not measured	48	0.4	0.033	0.005
7/18/2014	2014	29	0.33	0.5	Not measured	48	0.4	0.033	0.004
7/18/2014	2014	29	0.42	0.5	Not measured	48	0.4	0.033	0.005
7/18/2014	2014	29	0.25	0.5	Not measured	48	0.4	0.033	0.003
7/18/2014	2014	29	0.27	0.5	Not measured	48	0.4	0.033	0.003
7/18/2014	2014	29	0.42	0.5	Not measured	48	0.4	0.033	0.005
7/18/2014	2014	29	0.23	0.33	Not measured	77	0.6	0.033	0.005
7/18/2014	2014	29	0.22	0.33	Not measured	77	0.6	0.033	0.004
7/18/2014	2014	29	0.3	0.33	Not measured	77	0.6	0.033	0.006
7/18/2014	2014	29	0.25	0.33	Not measured	77	0.6	0.033	0.005
7/18/2014	2014	29	0.27	0.33	Not measured	77	0.6	0.033	0.005
7/18/2014	2014	29	0.25	0.33	Not measured	77	0.6	0.033	0.005
7/18/2014	2014	29	0.22	0.33	Not measured	77	0.6	0.033	0.004
7/18/2014	2014	29	0.17	0.33	Not measured	77	0.6	0.033	0.003
7/18/2014	2014	29	0.22	0.33	Not measured	77	0.6	0.033	0.004

Report Period: 07/13/2014 to 08/09/2014

Date	Year	Week	Net Impact Pile Driving Duration (hrs/pile)	Pile driving time from Table 10 of the NMFS BO (hrs/pile)	Average width of isopleth for 206-dB peak SPL (feet)	Maximum width of isopleth for 206-dB peak SPL (feet)	Number of gill nets to span the 206-dB peak SPL isopleth	Sturgeon encounter rate (fish/net/hour)	Sturgeon take
7/18/2014	2014	29	0.47	0.33	Not measured	77	0.6	0.033	0.010
7/18/2014	2014	29	0.2	0.33	Not measured	77	0.6	0.033	0.004
7/18/2014	2014	29	0.27	0.33	Not measured	77	0.6	0.033	0.005
7/18/2014	2014	29	0.22	0.33	Not measured	77	0.6	0.033	0.004
7/18/2014	2014	29	0.32	0.33	Not measured	77	0.6	0.033	0.007
7/18/2014	2014	29	0.18	0.33	Not measured	77	0.6	0.033	0.004
7/18/2014	2014	29	0.33	0.33	Not measured	77	0.6	0.033	0.007
7/18/2014	2014	29	0.32	0.33	Not measured	77	0.6	0.033	0.007
7/21/2014	2014	30	0.53	0.5	Not measured	45	0.4	0.033	0.006
7/21/2014	2014	30	0.5	0.5	45	45	0.4	0.033	0.006
7/21/2014	2014	30	0.55	0.5	17	45	0.1	0.033	0.002
7/21/2014	2014	30	0.45	0.33	Not measured	77	0.6	0.033	0.009
7/21/2014	2014	30	0.27	0.33	Not measured	77	0.6	0.033	0.005
7/22/2014	2014	30	0.17	1	8	60	0.1	0.033	0.000
7/22/2014	2014	30	0.22	1	9	60	0.1	0.033	0.001
7/22/2014	2014	30	0.17	1	7	60	0.1	0.033	0.000
7/22/2014	2014	30	0.15	1	8	60	0.1	0.033	0.000
7/23/2014	2014	30	0.42	0.33	Not measured	77	0.6	0.033	0.009
7/24/2014	2014	30	0.58	0.5	25	48	0.2	0.033	0.004
7/24/2014	2014	30	0.63	0.5	35	48	0.3	0.033	0.006
7/24/2014	2014	30	0.67	0.5	26	48	0.2	0.033	0.005
7/24/2014	2014	30	0.7	0.5	31	48	0.2	0.033	0.006
7/24/2014	2014	30	0.73	0.5	25	48	0.2	0.033	0.005
7/24/2014	2014	30	0.68	0.5	34	48	0.3	0.033	0.006
7/24/2014	2014	30	0.68	0.5	29	48	0.2	0.033	0.005
7/24/2014	2014	30	0.4	0.5	Not measured	48	0.4	0.033	0.005
7/24/2014	2014	30	0.45	0.5	Not measured	48	0.4	0.033	0.006
7/24/2014	2014	30	0.27	0.5	Not measured	48	0.4	0.033	0.003
7/24/2014	2014	30	0.55	0.5	Not measured	48	0.4	0.033	0.007

Report Period: 07/13/2014 to 08/09/2014

Date	Year	Week	Net Impact Pile Driving Duration (hrs/pile)	Pile driving time from Table 10 of the NMFS BO (hrs/pile)	Average width of isopleth for 206-dB peak SPL (feet)	Maximum width of isopleth for 206-dB peak SPL (feet)	Number of gill nets to span the 206-dB peak SPL isopleth	Sturgeon encounter rate (fish/net/hour)	Sturgeon take
7/24/2014	2014	30	0.38	0.5	Not measured	48	0.4	0.033	0.005
7/24/2014	2014	30	0.38	0.5	Not measured	48	0.4	0.033	0.005
7/24/2014	2014	30	0.4	0.5	Not measured	48	0.4	0.033	0.005
7/25/2014	2014	30	0.48	0.5	Not measured	45	0.4	0.033	0.006
7/25/2014	2014	30	0.58	0.5	Not measured	45	0.4	0.033	0.007
7/25/2014	2014	30	0.45	0.5	Not measured	45	0.4	0.033	0.005
7/25/2014	2014	30	0.5	0.5	Not measured	45	0.4	0.033	0.006
7/25/2014	2014	30	0.45	0.5	Not measured	45	0.4	0.033	0.005
7/28/2014	2014	31	0.62	0.5	Not measured	48	0.4	0.033	0.008
7/28/2014	2014	31	0.6	0.5	Not measured	48	0.4	0.033	0.008
7/28/2014	2014	31	0.63	0.5	Not measured	48	0.4	0.033	0.008
7/28/2014	2014	31	0.63	0.5	Not measured	48	0.4	0.033	0.008
7/28/2014	2014	31	0.62	0.5	Not measured	48	0.4	0.033	0.008
7/28/2014	2014	31	0.63	0.5	Not measured	48	0.4	0.033	0.008
7/28/2014	2014	31	0.62	0.5	Not measured	48	0.4	0.033	0.008
7/28/2014	2014	31	0.4	0.5	Not measured	48	0.4	0.033	0.005
7/28/2014	2014	31	0.35	0.5	Not measured	48	0.4	0.033	0.004
7/28/2014	2014	31	0.3	0.5	Not measured	48	0.4	0.033	0.004
7/28/2014	2014	31	0.47	0.5	Not measured	48	0.4	0.033	0.006
7/30/2014	2014	31	0.25	1	Not measured	200	1.6	0.033	0.013
7/31/2014	2014	31	0.08	0.17	Not measured	77	0.6	0.033	0.002
7/31/2014	2014	31	0.03	0.17	Not measured	77	0.6	0.033	0.001
7/31/2014	2014	31	0.33	0.17	Not measured	77	0.6	0.033	0.007
7/31/2014	2014	31	0.08	0.17	Not measured	77	0.6	0.033	0.002
7/31/2014	2014	31	0.08	0.17	Not measured	77	0.6	0.033	0.002
7/31/2014	2014	31	0.1	0.17	Not measured	77	0.6	0.033	0.002
7/31/2014	2014	31	0.17	0.17	Not measured	77	0.6	0.033	0.003
7/31/2014	2014	31	0.07	0.17	Not measured	77	0.6	0.033	0.001
7/31/2014	2014	31	0.05	0.17	Not measured	77	0.6	0.033	0.001

Report Period: 07/13/2014 to 08/09/2014

Date	Year	Week	Net Impact Pile Driving Duration (hrs/pile)	Pile driving time from Table 10 of the NMFS BO (hrs/pile)	Average width of isopleth for 206-dB peak SPL (feet)	Maximum width of isopleth for 206-dB peak SPL (feet)	Number of gill nets to span the 206-dB peak SPL isopleth	Sturgeon encounter rate (fish/net/hour)	Sturgeon take
7/31/2014	2014	31	0.08	0.17	Not measured	77	0.6	0.033	0.002
7/31/2014	2014	31	0.37	0.5	Not measured	48	0.4	0.033	0.005
7/31/2014	2014	31	0.35	0.5	Not measured	48	0.4	0.033	0.004
7/31/2014	2014	31	0.45	0.5	Not measured	48	0.4	0.033	0.006
7/31/2014	2014	31	0.4	0.5	Not measured	48	0.4	0.033	0.005
8/1/2014	2014	31	0.5	0.5	Not measured	48	0.4	0.033	0.006
8/1/2014	2014	31	0.47	0.5	Not measured	48	0.4	0.033	0.006
8/1/2014	2014	31	0.5	0.5	Not measured	48	0.4	0.033	0.006
8/1/2014	2014	31	0.53	0.5	Not measured	48	0.4	0.033	0.007
8/1/2014	2014	31	0.67	0.5	Not measured	48	0.4	0.033	0.008
8/5/2014	2014	32	0.53	0.5	Not measured	45	0.4	0.033	0.006
8/5/2014	2014	32	0.52	0.5	Not measured	45	0.4	0.033	0.006
8/5/2014	2014	32	0.52	0.5	Not measured	45	0.4	0.033	0.006
8/5/2014	2014	32	0.52	0.5	Not measured	45	0.4	0.033	0.006
8/5/2014	2014	32	0.53	0.5	Not measured	45	0.4	0.033	0.006
8/5/2014	2014	32	0.58	0.5	Not measured	45	0.4	0.033	0.007
8/5/2014	2014	32	0.52	0.5	Not measured	45	0.4	0.033	0.006
8/5/2014	2014	32	0.1	0.33	Not measured	77	0.6	0.033	0.002
8/5/2014	2014	32	0.12	0.33	Not measured	77	0.6	0.033	0.002
8/5/2014	2014	32	0.12	0.33	Not measured	77	0.6	0.033	0.002
8/5/2014	2014	32	0.13	0.33	Not measured	77	0.6	0.033	0.003
8/5/2014	2014	32	0.15	0.33	Not measured	77	0.6	0.033	0.003
8/5/2014	2014	32	0.15	0.33	Not measured	77	0.6	0.033	0.003
8/5/2014	2014	32	0.1	0.33	Not measured	77	0.6	0.033	0.002
8/6/2014	2014	32	0.65	0.5	Not measured	48	0.4	0.033	0.008
8/6/2014	2014	32	0.58	0.5	Not measured	48	0.4	0.033	0.007
8/6/2014	2014	32	0.6	0.5	Not measured	48	0.4	0.033	0.008
8/6/2014	2014	32	0.6	0.5	Not measured	48	0.4	0.033	0.008
8/6/2014	2014	32	0.6	0.5	Not measured	48	0.4	0.033	0.008



Report Period: 07/13/2014 to 08/09/2014

Date	Year	Week	Net Impact Pile Driving Duration (hrs/pile)	Pile driving time from Table 10 of the NMFS BO (hrs/pile)	Average width of isopleth for 206-dB peak SPL (feet)	Maximum width of isopleth for 206-dB peak SPL (feet)	Number of gill nets to span the 206-dB peak SPL isopleth	Sturgeon encounter rate (fish/net/hour)	Sturgeon take
8/7/2014	2014	32	0.33	1	Not measured	200	1.6	0.033	0.017
8/7/2014	2014	32	0.2	1	Not measured	200	1.6	0.033	0.011
8/7/2014	2014	32	0.37	1	Not measured	200	1.6	0.033	0.020
8/7/2014	2014	32	0.23	1	Not measured	200	1.6	0.033	0.012
8/7/2014	2014	32	0.42	1	Not measured	200	1.6	0.033	0.022
8/7/2014	2014	32	0.27	1	Not measured	200	1.6	0.033	0.014
8/7/2014	2014	32	0.13	0.33	Not measured	77	0.6	0.033	0.003
8/7/2014	2014	32	0.17	0.33	Not measured	77	0.6	0.033	0.003
8/7/2014	2014	32	0.15	0.33	Not measured	77	0.6	0.033	0.003
8/8/2014	2014	32	0.5	0.5	Not measured	45	0.4	0.033	0.006
8/8/2014	2014	32	0.52	0.5	Not measured	45	0.4	0.033	0.006
8/8/2014	2014	32	0.53	0.5	Not measured	45	0.4	0.033	0.006
8/8/2014	2014	32	0.52	0.5	Not measured	45	0.4	0.033	0.006
8/8/2014	2014	32	0.6	0.5	Not measured	45	0.4	0.033	0.007
8/8/2014	2014	32	0.55	0.5	Not measured	45	0.4	0.033	0.007
8/8/2014	2014	32	0.57	0.5	Not measured	45	0.4	0.033	0.007
<b>Monthly sturgeon take (Calculated based on pile-driving data/Anticipated from Table 10 of the April 2014 NMFS BO)</b>									<b>0.75/1.40</b>
<b>Cumulative sturgeon take to date (Calculated based on pile-driving data/Anticipated from Table 10 of the April 2014 NMFS BO)*</b>									<b>5.08/18.17</b>

\*Underwater noise monitoring data were added to the May-June 2014 monthly report which required that the Monthly and Cumulative estimates be updated for that reporting period. As a result, Cumulative estimates of sturgeon take were adjusted for this July-August 2014 reporting period to reflect revisions to the May-June 2014 monthly report.